

PRODUCT CATALOGUE



SCAN

4 **COMPANY**
VALUES

5 **PRODUCT**
DETAILS

7 **6"ROAD**
E-SCOOTER TYRES

8 **6.0" 6.5" ROAD AND
RACING TYRES**
MINIBIKE & E-SCOOTER

13 **6.5" ENDURO – 8"ROAD**
E-SCOOTER TYRES

15 **10" ROAD AND
RACING TYRES**
SCOOTER, MINIGP & MINIMOTARD

21 **12" ROAD AND
RACING TYRES**
PIT BIKE, SCOOTER & MINIGP

25 **13" RACING TYRES**
DRAGSTER & SCOOTER

27 **17" RACING TYRES,**
MOTO3, MOTO4 & MOTO5

32 **PARTNERSHIP** HISTORY

34 **PMT** CONTACTS

Production Process

PMT Operates With An **Approach Artisanal In The Production** Of Their Own Products, With An Installed Production Capacity Of More Than 200,000 Tires Per Year And With A Commercial Presence In Over 60 Countries. This Approach Allows The Company To Be Able To **Think, Plan And Create Tailor-Made Products For Every Request By The Customer.**

04

COMPANY
VALUES

Company Core Business.

PMT's Goal Has Always Been To Develop And Manufacture **High Quality Products For Each Sector** In Which It Places Its Commitment. The Strong Point Of The Company Is The Experience Gained In **The Racing Sector Of "Low Wheels"**, Which Today Has Led The Company To Be A Point Of Reference Also In New Projects Related To **Micro Mobility.**

Our Skills.

PMT Is Synonymous Of **Made In Italy**: Each Tyre Is Designed And Manufactured Within The Company Located In **Aprilia** (Latina). All Our Products Receive Careful **Quality Control** To Always Offer A Reliable, High Quality And Performance Product Capable Of Satisfying Every Need.

5 PRODUCT DETAILS

100% *Radial*

Every Tire Produced By The Company Is Of **Radial Type To Provide Greater Vehicle Maneuverability, Lower Rolling Resistance, Increased Resistance At High Speeds, And Reduced Weight.**

100% *Made In
ITALY*


The Tires Are Conceived, Designed, And Entirely Manufactured **Within The Company Located In Italy**, Thanks To The Skilled Hands Of Specialized Pmt Workers

All Products Are **Tubeless**. This Significantly **Reduces The Risk Of Punctures And Provides Greater Safety And Durability In Tire Usage.**

100% *Tubeless*

Attention To EcoGreen. PMT Is Already Working With An **Eye Towards The Environment**. The Company's Future Goal Is To **Reduce CO2 Emissions By Over 87% By Producing Its Own Tires Using Plant-Based Materials.**

Attention To
EcoGreen



7 6" ROAD

E-SCOOTER TYRES

COMPOUND



(NEW)

e-Fire Airless

(PUNCTURE RESISTANT)

8.5 / 2 R6.0

STRADALE



Outer Diameter
220 mm

Rim Width
35 mm

Type Width
45 mm

e-Fire

10 / 2.125 R6.0

STRADALE



Outer Diameter
220 mm


Rim Width
35 - 45 mm

Type Width
55 mm

e-Fire

10 / 2.50 R6.0

STRADALE



Outer Diameter
250 mm

Rim Width
35 - 45 mm

Type Width
65 mm

8 6.0" – 6.5" ROAD AND RACING TYRES


MINIBIKE & E-SCOOTER

COMPOUND



e-Fire

10 / 3.0 R6.0
STRADALE



Outer Diameter
250 mm

Rim Width
35 – 45 mm

Type Width
76 mm

e-Fire

10 / 3.5 R6.0
STRADALE



Outer Diameter
250 mm

Rim Width
70 mm

Type Width
85 mm

e-Fire

60/70 R6.5
STRADALE



Outer Diameter
254 mm

Rim Width
40 mm

Type Width
60 mm

09 6.5" ROAD AND RACING TYRES

MINIBIKE & E-SCOOTER

COMPOUND



Stradale

90 / 60 R6.5

STRADALE



Outer Diameter
275 mm

Rim Width
60 - 66 mm

Type Width
90 mm

Stradale

100 / 55 R6.5

STRADALE



Outer Diameter
275 mm


Rim Width
66 - 72 mm

Type Width
100 mm

Stradale

130 / 40 R6.5

STRADALE



Outer Diameter
270 mm

Rim Width
105 - 115 mm

Type Width
130 mm

10 6.5" ROAD AND RACING TYRES

MINIBIKE & E-SCOOTER

COMPOUND



Slick

80 / 50 R6.5
SOFT




Outer Diameter
280 mm

Rim Width
60 – 66 mm

Type Width
80 mm

Slick

90 / 65 R6.5
HARD, SOFT, RAIN




Outer Diameter
280mm

Rim Width
60 – 72 mm

Type Width
90 mm

Slick

130 / 40 R6.5
SOFT



Outer Diameter
280 mm

Rim Width
60 – 66 mm

Type Width
100 mm

11 6.5" ROAD AND RACING TYRES

MINIBIKE & E-SCOOTER

COMPOUND



Slick

105 / 50 R6.5
SOFT




Outer Diameter
280 mm

Rim Width
60 – 66 mm

Type Width
105 mm

Slick

90 / 65 R6.5
HARD, SOFT, RAIN



Outer Diameter
280mm

Rim Width
60 – 72 mm

Type Width
110 mm

12 6.5" ROAD AND RACING TYRES

MINIBIKE & E-SCOOTER

COMPOUND



Junior

90 / 65 R6.5
JUNIOR, RAIN



Outer Diameter
280 mm

Rim Width
60 – 66 mm

Type Width
90 mm

Rain

90 / 50 R6.5
RAIN




Outer Diameter
280mm

Rim Width
66 mm

Type Width
90 mm

Rain

100 / 55 R6.5
RAIN



Outer Diameter
280 mm

Rim Width
72 mm

Type Width
100 mm

13 6.5" ENDURO – 8" ROAD

E-SCOOTER TYPES

COMPOUND



(NEW)

Enduro

90 / 50 R6.5
SOFT



T41



Outer Diameter
280 mm
Rim Width
66 mm
Type Width
90 mm

(NEW)

Enduro

100 / 55 R6.5
SOFT



R




Outer Diameter
280mm
Rim Width
72 mm
Type Width
100 mm

e-Fire

12.5 / 2.25 R8.0
STRADALE



B



Outer Diameter
318 mm
Rim Width
40 mm
Type Width
62 mm



15 10" ROAD AND RACING TYRES

SCOOTER, MINIGP & MINIMOTARD


COMPOUND



Slick

90 / 85 R10

HARD, MEDIUM, SOFT, RAIN



Type Sidewall
85


Rim Width
2.5" - 3.0"

Type Width
90 mm

Slick

90 / 90 R10

HARD, MEDIUM, SOFT, RAIN



Type Sidewall
90


Rim Width
2.5" - 3.0"

Type Width
90 mm

Slick

100 / 85 R10

HARD, MEDIUM, SOFT, SUPERSOFT, RAIN



Type Sidewall
85

Rim Width
2.5" - 3.0"

Type Width
100 mm

16 10" ROAD AND RACING TYRES

SCOOTER, MINIGP & MINIMOTARD


COMPOUND



Slick

110 / 80 R10

MEDIUM, SOFT, SUPERSOFT



Type Sidewall
80


Rim Width
2.5" - 3.0"

Type Width
110 mm

Slick

120 / 80 R10

MEDIUM, SOFT, SUPERSOFT, RAIN



Type Sidewall
80

Rim Width
2.5" - 3.0"


Type Width
120 mm

Blackfire

3.50 R10

ECE75 J50 (ROAD APPROVED)

HARD, MEDIUM, SOFT, RAIN



Type Sidewall
85

Rim Width
2.5" - 3.0"

Type Width
100 mm

17 10" ROAD AND RACING TYRES

SCOOTER, MINIGP & MINIMOTARD

COMPOUND



Rain

90 / 85 R10

RAIN



Type Sidewall

85

Rim Width

2.5" - 3.0"

Type Width

90 mm

Rain

90 / 90 R10

RAIN



Type Sidewall

90

Rim Width

2.5" - 3.0"

Type Width

90 mm

18 10" ROAD AND RACING TYRES

SCOOTER, MINIGP & MINIMOTARD

COMPOUND



Rain

100 / 85 R10

RAIN



Type Sidewall
85

Rim Width
2.5" - 3.0"

Type Width
100 mm

Rain

120 / 80 R10

RAIN



Type Sidewall
80

Rim Width
2.5" - 3.0"

Type Width
120 mm

19 10" ROAD AND RACING TYRES

SCOOTER, MINIGP & MINIMOTARD

COMPOUND



Dragster

110 / 55 R10
SUPERSOFT

SS

Type Sidewall
55

Rim Width
2.5"

Type Width
110 mm



21 12" ROAD AND RACING TYRES

PIT BIKE, SCOOTER & MINIGP


COMPOUND



Slick

100 / 90 R12

HARD, MEDIUM, SOFT, SUPERSOFT, RAIN



Type Sidewall
90


Rim Width
2.15" - 2.75"

Type Width
100 mm

Slick

120 / 80 R12

HARD, MEDIUM, SOFT, SUPERSOFT, RAIN



Type Sidewall
80


Rim Width
2.5" - 3.5"

Type Width
120 mm

Slick

130 / 75 R12

MEDIUM, SOFT, SUPERSOFT, RAIN



Type Sidewall
75

Rim Width
2.5" - 3.5"

Type Width
130 mm

22 12" ROAD AND RACING TYRES

PIT BIKE, SCOOTER & MINIGP

COMPOUND




Blackfire

100 / 90 R12

ECE75 J49 (ROAD APPROVED)

MEDIUM, SOFT, SUPERSOFT, RAIN



Type Sidewall

90

Rim Width

2.15" - 2.75"

Type Width

100 mm

Blackfire

120 / 80 R12

ECE75 J55 (ROAD APPROVED)

MEDIUM, SOFT, SUPERSOFT, RAIN



Type Sidewall

80

Rim Width

2.5" - 3.5"

Type Width

120 mm

23 12" ROAD AND RACING TYRES

PIT BIKE, SCOOTER & MINIGP


COMPOUND



Rain

100 / 90 R12

RAIN



Type Sidewall

90

Rim Width

2.15" - 2.75"

Type Width

100 mm

Rain

120 / 80 R12

RAIN



Type Sidewall

80

Rim Width

2.5" - 3.5"

Type Width

120 mm

24 12" ROAD AND RACING TYRES

PIT BIKE, SCOOTER & MINIGP

COMPOUND



Slick

120 /70 R12
SOFT



Type Sidewall
70

Rim Width
3.5"

Type Width
120 mm

Rain

120 /70 R12
RAIN



Type Sidewall
70

Rim Width
3.5"

Type Width
120 mm

25 13" RACING TYRES


DRAGSTER & SCOOTER

COMPOUND



Slick

140 / 60 R13
SOFT




Type Sidewall
60

Rim Width
4.0"

Type Width
140 mm

Rain


140 / 60 R13
RAIN



Type Sidewall
60

Rim Width
4.0"

Type Width
140 mm



27

17" RACING TYRES, MOTO3, MOTO4 & MOTO5


COMPOUND



Slick

90 / 80 R17

HARD, MEDIUM, SOFT, RAIN



Type Sidewall
80

Rim Width
2.5" - 3.5"

Type Width
90 mm

Rain

115 / 75 R17

HARD, MEDIUM, SOFT, RAIN



Type Sidewall
75

Rim Width
2.5" - 3.5"

Type Width
115 mm

28

17" RACING TYRES, MOTO3, MOTO4 & MOTO5

COMPOUND



Rain

90 / 80 R17

HARD, MEDIUM, SOFT, RAIN



Type Sidewall
80

Rim Width
2.5" - 3.5"

Type Width
90 mm

Rain

115 / 75 R17

HARD, MEDIUM, SOFT, RAIN



Type Sidewall
75

Rim Width
2.5" - 3.5"

Type Width
115 mm

29

17" RACING TYRES, MOTO3, MOTO4 & MOTO5

COMPOUND




(NEW)

Slick

110 / 70 R17

HARD, MEDIUM, SOFT



Type Sidewall
70

Rim Width
3"


Type Width
110 mm

(NEW)

Slick

140 / 70 R17

HARD, MEDIUM, SOFT



Type Sidewall
70

Rim Width
4"

Type Width
140 mm

30

17" RACING TYRES, MOTO3, MOTO4 & MOTO5

COMPOUND



(NEW)

Rain

110 / 70 R17

HARD, MEDIUM, SOFT



Type Sidewall
70

Rim Width
4"

Type Width
110 mm

(NEW)

Slick

140 / 70 R17

HARD, MEDIUM, SOFT



Type Sidewall
70

Rim Width
4"

Type Width
140 mm




PARTNERSHIP



PMT CONTACTS



FACEBOOK



WEBSITE

